



County of Fairfax, Virginia

To protect and enrich the quality of life for the people, neighborhoods and diverse communities of Fairfax

January 13, 2016

RECEIVED
Department of Planning & Zoning

FEB 10 2016

Zoning Evaluation Division

Richard Buskell
Spectrum Development, LLC
1866 Amberwood Manor Court
Vienna, VA 22182

RE: Rezoning Application RZ 2014-MA-011
(Concurrent with Special Exception Application SE 2014-MA-013)

Dear Mr. Buskell:

Enclosed you will find a copy of an Ordinance adopted by the Board of Supervisors at a regular meeting held on January 12, 2016, granting Rezoning Application RZ 2014-MA-011 in the name of the Spectrum Development, LLC. The Board's action rezones certain property in the Mason District from the R-3, C-2, CRD, HC, and SC Districts to the C-6, CRD, HC, and SC Districts to permit retail, pharmacy with drive-through, and fast food uses with an overall Floor Area Ratio (FAR) of 0.22 and waivers and modifications in a CRD. The subject property is located on the S. side of Leesburg Pike, between Charles Street and Washington Drive, on approximately 2.72 acres of land, [Tax 61-2 ((17)) (D) 1, 3, 4 and 5; and 61-2 ((18)) 1, 2, 3, 4 and 5], subject to the proffers dated December 3, 2015.

The Board also:

- Approved 20 percent parking reduction as permitted in a Commercial Revitalization District (CRD) to allow 106 parking spaces instead of 132 (reduction of 26 spaces or 20 percent).
- Waived the front yard setback requirement in the C-6 District per the CRD provisions to permit a 10-foot setback to Leesburg Pike, a 34-foot setback to Charles Street and a 2-foot setback to Washington Drive, where 40 feet is required.
- Waived the minimum lot width standard in the C-6 District per the CRD provisions to allow 160 feet after the dedication of right-of-way along Charles Street where 200 feet is required.

Office of the Clerk to the Board of Supervisors

12000 Government Center Parkway, Suite 533

Fairfax, Virginia 22035


Phone: 703-324-3151 ♦ Fax: 703-324-3926 ♦ TTY: 711

Email: clerktothebos@fairfaxcounty.gov

<http://www.fairfaxcounty.gov/bosclerk>

- Modified the trail requirements along Leesburg Pike to permit an eight-foot wide paver walkway in accordance the Bailey's Crossroads streetscape standards in the Comprehensive Plan.
- Modified the transitional screening and barrier requirements along all or portions of the east, south and west property lines, in favor of the plantings and masonry walls shown on the GDP/SE Plat.
- Waived the service drive requirement along Leesburg Pike in favor of the frontage improvements shown on GDP/SE Plat.
- Modified the loading space requirements to permit one loading area where three spaces are required.
- Directed the Director of the Department of Public Works and Environmental Services (DPWES) to permit a deviation from the tree preservation target of the Public Facilities Manual, in favor of the landscaping as shown on the GDP/SE Plat.
- Directed staff to study options for achieving the desired transportation improvements in the area, including the realignment envisioned by the plan, for the goal of minimizing impact to both existing residential neighborhoods and commercial developments while still providing adequate opportunities for redevelopment and understanding that the options may need to extend beyond the limits of the current application.

Sincerely,



Catherine A. Chianese
Clerk to the Board of Supervisors

RZ 2014-MA-011
January 13, 2016

-3-

Cc: Chairman Sharon Bulova
Supervisor Penelope Gross, Mason District
Tim Shirocky, Acting Director, Real Estate Division, Dept. of Tax Administration
Barbara Berlin, Director, Zoning Evaluation Division, DPZ
Diane Johnson-Quinn, Deputy Zoning Administrator, Dept. of Planning and Zoning
Thomas Conry, Dept. Manager – GIS - Mapping/Overlay
Michael Davis, Section Chief, Transportation Planning Division
Donald Stephens, Transportation Planning Division
Department of Highways-VDOT
Sandy Stallman, Park Planning Branch Manager, FCPA
Charlene Fuhrman-Schulz, Development Officer, DHCD/Design Development Division
Jill Cooper, Executive Director, Planning Commission
Ajay Rawat, Coordinator, Facilities Planning, Fairfax County Public Schools
Karyn Moreland, Chief Capital Projects Sections, Dept. of Transportation

At a regular meeting of the Board of Supervisors of Fairfax County, Virginia, held in the Board Auditorium in the Government Center at Fairfax, Virginia, on the 12th day of January, 2016, the following ordinance was adopted:

**AN ORDINANCE AMENDING THE ZONING ORDINANCE
PROPOSAL NUMBER RZ 2014-MA-011
(Concurrent with Special Exception Application SE 2014-MA-013)**

WHEREAS, Spectrum Development, LLC, filed in the proper form an application requesting the zoning of a certain parcel of land herein after described, from the R-3, C-2, CRD, HC and SC Districts to the C-6, CRD, HC, and SC Districts

WHEREAS, at a duly called public hearing the Planning Commission considered the application and the propriety of amending the Zoning Ordinance in accordance therewith, and thereafter did submit to this Board its recommendation, and


WHEREAS, this Board has today held a duly called public hearing and after due consideration of the reports, recommendation, testimony and facts pertinent to the proposed amendment, the Board is of the opinion that the Ordinance should be amended,

NOW, THEREFORE, BE IT ORDAINED, that that certain parcel of land situated in the Mason District, and more particularly described as follows (see attached legal description):

Be, and hereby is, zoned to the C-6, CRD, HC, and SC Districts, and said property is subject to the use regulations of said C-6, CRD, HC, and SC Districts, and further restricted by the conditions proffered and accepted pursuant to Va. Code Ann., 15.2-2303(a), which conditions are in addition to the Zoning Ordinance regulations applicable to said parcel, and

BE IT FURTHER ENACTED, that the boundaries of the Zoning Map heretofore adopted as a part of the Zoning Ordinance be, and they hereby are, amended in accordance with this enactment, and that said zoning map shall annotate and incorporate by reference the additional conditions governing said parcel.

GIVEN under my hand this 12th day of January, 2016.



Catherine A. Chianese
Clerk to the Board of Supervisors

DEC 03 2015

Zoning Evaluation Division

PROFFERS
SPECTRUM DEVELOPMENT, LLC
RZ 2014-MA-011

12.3.15

Pursuant to Section 15.2-2303(a) of the Code of Virginia, 1950, as amended, the property Owners and Applicant in this Rezoning proffer that the development of the parcels under consideration and shown on the Fairfax County Tax Map as Tax Map Reference Nos. 61-2 ((18)) 0001, 0002, 0003, 0004, 0005, and 61-2 ((17)) (D) 0001, 0003, 0004, 0005 (hereinafter referred to as the "Property") will be in accordance with the following conditions if, and only if, said rezoning request for the C-6, CRD, H-C and S-C Districts for the Property is granted by the Board of Supervisors of Fairfax County, Virginia (the "Board"). In the event said application request is denied or the Board's approval is overturned by a court of competent jurisdiction, these proffers shall be null and void. The Owners and Spectrum Development, LLC (the "Applicant"), for themselves, their successors and assigns, agree that these proffers shall be binding on the future development of the Property unless modified, waived or rescinded in the future by the Board, in accordance with applicable County and State statutory procedures.

GENERAL

1. **Substantial Conformance.** Development of the Property shall be in substantial conformance with the Generalized Development Plan and Special Exception Plat entitled "The Shops at Baileys Crossroads" (the "GDP"), prepared by Kimley-Horn and Associates, Inc., and last dated October 1, 2015.
2. **Minor Modifications.** In addition to that described above, pursuant to Paragraph 4 of Section 18-204 of the Zoning Ordinance, minor modifications to the GDP and these proffers may be permitted as determined by the Zoning Administrator.

3. Maximum Intensity. The Applicant reserves the right to construct a lesser amount of Gross Floor Area ("GFA") from that shown on the GDP provided that the buildings and Property remain in substantial conformance with that shown on the GDP as determined by the Zoning Administrator.

4. Architecture.

A. The final architectural design shall be in substantial conformance with the general type, quality and proportion of materials depicted in the elevations, and sections shown on the GDP. The materials on the building façade shall include, without limitation, brick, azek, EIFS and/or Hardie-board siding and shall be graffiti resistant.

B. Rooftop Equipment. Rooftop mechanical equipment will be shielded from view from the nearby public roads using parapet walls and designed not to exceed roof coverage limitations of the Zoning Ordinance. Other screening measures may be used such as including the facilities as part of the architecture of the buildings, utilizing compatible colors.

5. Unifying Elements. All street furniture, including bike racks, integrated railings, planters, garbage cans, benches and lamp posts, shall be consistent, both in terms of materials and design, throughout the development's amenity areas as shown on sheet 5A of the GDP, and consistent with the design guidance in the Fairfax County Comprehensive Plan.

6. Signage.

A. All signage shall comply with Article 12 of the Zoning Ordinance. Pole signs, inflatable signs, pennants, flashing signs, ground waver signs, sail banner signs, promotional searchlights and signs powered by mechanical means shall not be permitted on the Property. All directional and way finding signage shall be consistent, both in terms of materials and design, throughout the development. Any building mounted signs which face south shall not be

internally illuminated with translucent panels. The monument sign shall be limited in height to six (6) feet. Notwithstanding any exhibit to the contrary, the monument sign shall be placed in the area as shown on Sheet 3 of the GDP. There shall not be any illuminated signs in storefront windows. No temporary A-frame type signs or live individuals holding signs shall be used at the Property.

B. A metal plaque shall be installed and displayed in the vicinity of the Leesburg Pike frontage of the Property and be visible to pedestrians walking along Leesburg Pike. The plaque shall have a summary of a significant historic happening in the Baileys Crossroads area. The language on the plaque shall be shared with the Supervisor's office and Baileys Crossroads Revitalization Corporation for their comment prior to installation.

7. Charles Street Right of Way. The area shown on the GDP which is labeled "Proposed Right of Way Dedication" shall be dedicated, in fee simple, as public Right Of Way to Fairfax County Board of Supervisors at no cost upon site plan approval of the project. The Applicant shall request a license that allows the Applicant to construct landscaping and other streetscape improvements in the Right of Way as shown on Sheet 4 of the GDP, and the Applicant shall install and maintain the improvements if approved by the County. In the triangular area that is being dedicated for the realignment of Charles Street and being maintained by the Applicant under a license, additional landscaping consisting of low ground barriers, supplemental ground cover, and interlocking concrete pavers, and/or street furniture shall be installed to protect vegetation and landscaping in that area from damage from pedestrian traffic as shown on Sheet 4 of the GDP. In the event a license is not granted, expires or is subsequently revoked, the Applicant shall modify the parking and barrier as shown on Sheet 5 of the GDP. In

addition, the Applicant shall provide on-site peripheral landscaping along Charles Street in accordance with a plan to be approved by the DPWES, Urban Forest Management Division.

8. Leesburg Pike Right of Way and Turn Lane Extension. The area shown on the GDP which is labelled "Proposed Right of Way Dedication" shall be dedicated, in fee simple, to Fairfax County Board of Supervisors at no cost upon site plan approval of the Project. If approved by the Virginia Department of Highways and Transportation ("VDOT") and the Fairfax County Department of Transportation ("DOT" the Applicant shall extend the existing right turn lane across the entire frontage of the site from Charles Street to Washington Drive, which will serve as a right-turn lane to Washington Drive. Curb and Gutter shall be installed along the entire Leesburg Pike frontage. Said improvements shall be completed prior to issuance of the first non-RUP. Interlocking concrete pavers shall be used in the sidewalks where pavers are shown on the GDP subject to VDOT approval.

The Applicant shall enter into a maintenance agreement with VDOT for the maintenance or replacement, in-kind, by the Applicant, of streetscape elements, installed by the Applicant, that are located in the public right-of-way, excluding vegetation removed by the County and/or VDOT. Sidewalks for the development shall connect to the County's walkway project on Leesburg Pike.

9. Charles Street Improvements. A northbound right turn lane shall be provided along Charles Street at Leesburg Pike subject to VDOT approval.

10. Washington Drive Improvements. The pavement on Washington Drive at Leesburg Pike shall be widened as necessary and restriped to allow an additional northbound right turn lane, subject to VDOT approval. The Applicant shall enter into a maintenance

agreement with VDOT for the maintenance or replacement, in-kind, by the Applicant, of the interlocking concrete pavers as depicted on the GDP.

11. Green Building Practices. Prior to the issuance of a building permit for each of the two buildings (individually a "Building"), the Applicant will post a "green building escrow," in the form of cash or a letter of credit from a financial institution acceptable to DPWES as defined in the Public Facilities Manual, in the amounts as set forth below. The escrow will be divided among the two buildings as follows:

- Pharmacy \$80,000.00
- Retail building fronting Route 7 \$25,000.00

This escrow will be in addition to and separate from other bond requirements and will be released upon demonstration of attainment of certification, by the U.S. Green Building Council, for each building, under the most current version of the U.S. Green Building Council's ("USGBC") Leadership in Energy and Environmental Design – New Construction ("LEED®-NC") rating system or other LEED® rating system determined, by the USGBC, to be applicable to the Building. The provision to the Environment and Development Review Branch of DPZ of documentation of the USGBC preliminary review of the design oriented credits that along with the anticipated construction credits will be sufficient to support the attainment of LEED® certified, or documentation from the USGBC that the Building has attained LEED® certification will be sufficient to satisfy this commitment. If the Applicant fails to provide documentation to the Environment and Development Review Branch of DPZ demonstrating attainment of LEED® certification within two years of issuance of the final non-RUP for each of the Buildings, the escrow for the non-complying building or buildings will be released to Fairfax County and will

be posted to a fund within the county budget supporting implementation of county environmental initiatives.

If the Applicant provides to the Environment and Development Review Branch of DPZ, within two years of issuance of the final non-RUP for each of the buildings, documentation demonstrating that LEED® certified status for any Building has not been attained but that the Building has been determined by the USGBC to fall within three points of attainment of LEED® certified status, 50% of the escrow will be released to the Applicant; the other 50% will be released to Fairfax County and will be posted to a fund within the county budget supporting implementation of county environmental initiatives.

If the Applicant fails to provide, within two years of issuance of the final non-RUP for any building, documentation to the Environment and Development Review Branch of DPZ demonstrating attainment of LEED® certified status or demonstrating that the Building has fallen short of certification by three points or less, after sufficient written notice to the Applicant, the entirety of the escrow for the Building will be released to Fairfax County and will be posted to a fund within the county budget supporting implementation of county environmental initiatives.

If the Applicant provides documentation from the USGBC demonstrating, to the satisfaction of the Environment and Development Review Branch of DPZ, that USGBC completion of the review of the LEED® certified application has been delayed through no fault of the Applicant, the Applicant's contractors or subcontractors, the time frame may be extended as determined appropriate by the Zoning Administrator, and no release of escrowed funds shall be made to the Applicant or to the County during the extension.

The Applicant will include, as part of the site plan submission for each Building, a statement certifying that a LEED®-accredited professional who is also a professional engineer or licensed architect is a member of the design team, and that the LEED®-accredited professional is working with the team to incorporate sustainable design elements and innovative technologies into the Building with a goal of having the Building attain LEED® certified status.

The Applicant will include, as part of the site plan submission and building plan submission for the Building, a list of specific LEED® credits that the Applicant intends to pursue.

Prior to site plan approval for the Building, the Applicant will designate the Chief of the Environment and Development Review Branch of DPZ as a team member in the USGBC's LEED® online system. This team member will have privileges to review the project status and monitor the progress of all documents submitted by the project team, but will not be assigned responsibility for any LEED® credits and will not be provided within the authority to modify any documentation or paperwork.

12. Stormwater Management ("SWM") Facilities.

Subject to review and approval by the Department of Public Works and Environmental Services (DPWES), stormwater management and Best Management Practices (BMP) measures for the Property shall be provided through the use of an underground stormwater detention facility and a bioretention area, as shown on the GDP. Other innovative BMP measures such as, but not limited to biofiltration swales or pervious pavers may be substituted as determined by the Applicant and approved by DPWES. Any innovative BMP measures shall be maintained by the Applicant, in accordance with the procedures as determined by DPWES.

13. Landscaping.

A. Landscaping and Landscaped Open Space. The site plan submitted for the development shall include a landscape plan consistent with that on Sheet 4 of the GDP. The Applicant shall maintain the proposed landscaping as shown on the GDP and any diseased or dead plants, shrubs or trees shall be replanted at the next spring or fall planting season. All new deciduous trees provided as shown on such landscape plan, shall be a minimum of 2 to 2.5 inches in caliper at the time of planting. All new evergreen trees used in peripheral screening and landscaping areas and public spaces shall be a minimum of six feet (6') in height at the time of planting. Such landscape plan shall be provided in substantial conformance with the landscaping concepts shown on the GDP as determined and approved by the Urban Forest Management Division ("UFMD").

B. Additional Landscaping/Easement Area. The Applicant shall grant an appurtenant easement benefiting the present and future owners of the adjoining parcels shown on the Fairfax County Tax Map as Tax Map Reference Nos. 61-2 ((18)) 0006 and 61-2 ((17)) (D) 0006. The easement area shall consist of all of the Applicant's lands lying on the south side of the barrier screening wall in the transitional screening buffer as shown on sheet 4 of the GDP ("Easement Area"). The Applicant shall install landscaping in the Easement Area as shown on sheet 4 of the GDP. The Grantees shall have the exclusive use of the Easement Area and the Grantees shall maintain the Easement Area in good repair and condition, all at their sole discretion and cost. Provided the grantees maintain the landscaping, the Applicant will, during the first year after installation of the landscaping, replant diseased or dead plantings at the next spring or fall planting season.

C. Landscape Pre-Inspection Meeting. Prior to installation of plants to meet requirements of the approved landscape plan, the Contractor/Developer shall coordinate a pre-

installation meeting on site with the landscape contractor and a representative of the County Urban Forest Management Division (UFMD). Any proposed changes to the location of planting, size of trees/shrubs, and any proposed plant substitutions for species specified on the approved plan shall be reviewed at this time and must be approved prior to planting. The installation of plants not specified on the approved plan, and not previously approved by UFMD, may require submission of a revision to the landscape plan or removal and replacement with approved material. Field location of planting material, when required by the approved plan, shall be reviewed at the pre-installation meeting. The Landscape Contractor shall stake proposed individual planting locations in consultation with the Contractor/Developer prior to the pre-installation meeting, for review by UFMD staff. Stakes shall be adjusted, as needed, during the course of the meeting as determined by UFMD staff based on discussion with the Contractor/Developer and the Landscape Contractor.

D. **American Holly Tree Replacement.** The contractor/developer shall install a minimum of six (6) new *Ilex opaca* (American holly), or other similar species approved by the Urban Forester, at 10-foot size as part of the overall plantings in the transitional screening buffer adjacent to the southern property line to replace the removal of existing American holly trees. The final location and cultivar selection shall be subject to the approval of the UFMD.

E. **Native Species Landscaping.** All landscaping provided shall be native or regionally adapted to the middle Atlantic region to the extent feasible and non-invasive as determined by the Mid-Atlantic Exotic Pest Plant Council Plant List or Virginia DCR. In addition, the quality and quantity of landscaping provided shall be in substantial conformance with the GDP.

14. Location of Utilities. Along all existing and proposed public rights-of-way, utility lines shall be generally located so as not to interfere with the landscaping concepts shown on the GDP. The Applicant shall make every effort to preserve landscaping as shown on the GDP when accommodating utilities, but may make minor modifications to relocate such landscaping to reasonably accommodate utilities lines and Virginia Department of Transportation (VDOT) sight distances provided such relocated landscaping shall retain a generally equivalent number of plantings and continues to reflect the concepts illustrated on the GDP and shall conform to the tree canopy calculations specified in the Fairfax County Public Facilities Manual (PFM). Any tree or shrub determined to impact utilities lines and sight distance shall be replaced with an appropriate size or relocated elsewhere on the site with equal size and quality, as determined by UFMD. For all other areas of the Property, in the event that, during the process of site plan review any landscaping shown on the GDP cannot be installed in order to locate utility lines, as determined by DPWES, then an area of additional landscaping consistent of equivalent flora generally consistent with that displaced shall be substituted at an alternate location on the Property, subject to approval by UFMD. The Applicant shall not place utility vaults under sidewalk and bicycle facilities designated for dedication for public use.

MISCELLANEOUS PROFFERS

15. Trash.

A. All outdoor trash receptacles shall conform to the standards set forth in the Public Facilities Manual for the screening of such receptacles. The Applicant shall: (a) provide appropriately sized trash cans in the general vicinity of any outdoor seating and patio area, near the vehicular entrances to the development on both Charles Street and Washington Drive, at both plazas and near the bus shelter; (b) provide for the removal of trash twice a week from these

areas, if any; and (c) generally clean and clear any outdoor seating and patio area, the plazas and bus shelter of trash daily. The Applicant shall arrange for any site clean-up by mechanical equipment to occur no earlier than 7 a.m. and no later than 9 p.m. Trash removal by emptying the dumpsters shall take place twice a week and shall occur between the hours of 8:00 a.m. and 6:00 p.m., Monday through Saturday. Trash pickup shall occur more often if necessary.

B. A screening wall shall be installed to screen any dumpsters placed on the Property which shall be constructed of masonry materials that match those used on the buildings. Dumpster enclosure doors and dumpster lids shall remain closed except during the times that trash is being deposited or removed. The Applicant shall require the contracted waste hauler to use dumpsters with tight-fitting lids, and to employ Best Practical Means to prevent trash from getting out of dumpsters.

16. Food Odor. The Applicant shall not allow the discharge of air contaminants generated by the restaurants, if any, or their solid waste. For any restaurant located on the Property, the Applicant shall employ, but not be limited to, the following control measures:

A. All putrescible material as defined by the Fairfax County Code Section 109-1-1-2 shall be stored in sealed containers and shall be disposed in a container(s) reserved exclusively for use by the restaurant(s). Such putrescible material shall not be shredded or unsealed.

B. All putrescible materials shall be removed from the subject property by a commercial refuse hauler as needed, Monday through Saturday. These standards shall be in addition to any other performance standards, regulations, ordinances, or restrictions promulgated by the County.

C. The Applicant shall require restaurant tenants to employ the Best Practical Means to mitigate and control oily fumes and cooking odors in the design, installation and maintenance of exhaust and ventilation systems.

D. These directions to restaurant tenants shall be via rules and regulations incorporated into the shopping center leases governing the operation of the shopping center.

17. Parking Enforcement. The Applicant shall prohibit parking of vehicles by people not visiting the shopping center and shall provide signage in both English and Spanish to alert the public of the restricted parking in accordance with applicable law, such bi-lingual posting to be subject to approval by DPWES during site plan review. The Applicant shall maintain a contract with a towing service and have parked vehicles which are in violation towed from the Property at the violator's expense.

18. Bicycles. The Applicant shall provide bicycle racks as shown on the GDP. The total number of bike parking/storage spaces, design and locations of the bike racks shall be consistent with the Fairfax County Policy and Guidelines for Bicycle Parking, and approved by the FCDOT Bicycle Coordinator or his/her designee prior to site plan approval. Applicant agrees that should the County implement a "Bike Share" program; the Applicant will work with the County and consider placing a bike share facility within a public access easement at an appropriate location on the site.

19. Outdoor Construction. Outdoor construction of the improvements on the Property shown on the GDP shall take place only during the hours from 7:00 a.m. to 9:00 p.m. Monday through Friday and from 9:00 a.m. to 6:00 p.m. on Saturday. There shall be no outdoor construction activity taking place on Sunday. There will be no outdoor construction on New Year's Day, Martin Luther King Jr. Day, Presidents' Day, Memorial Day, the Fourth of July,

Labor Day, Thanksgiving, Yom Kippur, Eid Al-Fitr, Eid Al-Adha and Christmas Day. The permitted hours of construction shall be posted on-site in both English and Spanish, such bilingual posting to be subject to approval by DPWES during site plan review. . There shall be no parking of construction vehicles on Charles Street or Washington Drive.

20. Construction Vehicles. During initial construction, and any subsequent major construction activity, all construction vehicles and construction material vehicles shall access the site from Route 7 via Washington Drive or Charles Street utilizing the ingress and egress to the site on Washington Drive or Charles Street. No construction vehicles shall utilize Washington Drive or Charles Street south of the entrance to the Property for ingress and egress to the site. This direction to the contractors and sub-contractors shall be set forth in the contracts. Deliveries of construction materials shall only occur between 6:00 a.m. through 6:00 p.m., seven (7) days a week.

21. Community Liaison. The Applicant agrees to identify a person(s) who will serve as liaison to the community throughout the duration of construction. This individual shall be available at the construction site during the hours of construction, including weekends, if applicable, upon receiving reasonable notice to be on-site. The name and telephone number of the individual(s) shall be posted at the entrance of the project. For one year after the Shopping Center opens for business, a named property manager, or his designee will serve as liaison to the community available to address community concerns upon receiving reasonable notice.

22. Deliveries. The Applicant shall direct the tenants to require that all deliveries access the site from Route 7 via Washington Drive or Charles Street utilizing the ingress and egress to the site on Washington Drive or Charles Street. These directions to the tenants shall be via rules and regulations incorporated into the shopping center leases governing the operation of

the shopping center. No delivery vehicles shall utilize Washington Drive or Charles Street south of the entrance to the Property for ingress and egress to the site. On-site deliveries by class 7 or class 8 heavy duty trucks with GVWR greater than 26,000 lbs. shall only occur between 6:00 a.m. through 9:00 a.m., seven (7) days a week. All other deliveries shall only occur between 6:00 a.m. and 9:00 p.m., seven (7) days a week. Trucks making deliveries shall not park on Washington Drive while loading or off loading supplies. Trucks that are parked or standing to make deliveries shall not remain idling. Trucks in excess of 18 feet in length shall use the site loading area and shall not block entrances and/or exits to the Property. Trucks less than 19 feet in length shall use the site loading area or park in a manner that does not block parked vehicles. These directions to the tenants shall be via rules and regulations incorporated into the shopping center leases governing the operation of the shopping center.

23. Lights. Full cutoff lighting shall be utilized and light fixtures shall be used that do not let light spill into the residential neighborhood southeast of the property.

24. Barrier Wall. The materials to be used in the rear screening barrier shall be brick as shown in the GDP. Piping or weep holes shall be placed at the bottom of the wall and shall remain unobstructed to allow water to pass through.

25. Donation Drop-Off Boxes. No donation drop-off boxes, propane tank exchanges, or outdoor vending machines for clothing, books, etc. or outdoor vending machines for other products shall be allowed on the property. This shall not preclude a building mounted ATM machine that is made available as part of the business of a financial institution tenant.

26. Shopping Center Building Entrances from Leesburg Pike. For the east shopping center building adjacent to Washington Drive shown on the GDP, a minimum of two of the

businesses shall provide building entrances from Leesburg Pike. The adjacent 10-foot building zone area along Leesburg Pike shall include outdoor seating for dining and gathering.

27. Bus Shelter. Prior to site plan approval, the Applicant shall coordinate with FCDOT and the Washington Metropolitan Area Transit Authority (WMATA) for removal of the existing bus stop and shelter prior to the start of construction. The Applicant shall pay the County \$5,000.00 to remove the existing bus stop and shelter in coordination with and with approval by FCDOT. The Applicant shall be responsible for constructing the standard bus shelter pad on Leesburg Pike frontage. The design, construction and the location of the bus shelter pad shall be coordinated with and approved by FCDOT prior to site plan approval. Prior to site plan approval, the Applicant shall coordinate with FCDOT and WMATA for the reinstallation of a bus shelter and a bus stop in the approximate area shown on the GDP after the development project is completed.

28. Sale of Single Beers and Cigarettes. The pharmacy or any other retail sales establishment that holds a Virginia ABC license which permits the sale of beer for off-premises consumption shall not sell single cans or bottles of beer. Neither the pharmacy nor any other tenant in the Shopping Center shall sell cigarettes.

29. Prohibited Uses. The following uses shall not be allowed on the Application property:

A. Alternative Lending Institution. Alternative lending institutions (ALIs) shall not be permitted on the property. For purposes of this Proffer, an ALI is defined as an establishment providing short term loans to individuals, to include, but not be limited to, pay day lenders, as regulated by Chapter 18, Title 6.2, Code of Virginia, and/or motor vehicle title lenders, as

regulated by Chapter 22, Title 6.2, Code of Virginia. For purposes of this Proffer, an ALI shall not be deemed to include an Office, Pawnshop, Drive-In Financial Institution, Financial Institution, or any other state or federally chartered bank, savings and loan institution, or credit union. Tenants that provide consumer or personal loans or non-purchase money loans shall be insured and/or regulated by the Federal Deposit Insurance Corporation (FDIC) or the National Credit Union Share Insurance Fund (NCUSIF).

B. Non-Therapeutic Massage Parlor.

C. Facility for the Sale or Display of Pornographic Material.

D. Fireworks Sales. For purposes of this proffer, the indoor seasonal sale of sparklers and other small celebration items shall not be prohibited when it is incidental to the main business.

E. Tattoo Parlor.

F. Pawnbroker as defined in Chapter 33, Article 2 of the Fairfax County Code.

30. Pharmacy Facades. The façade along the Leesburg Pike frontage of the pharmacy building shall include display windows with exhibits depicting historic themes that are determined by the pharmacy to comply with copyright requirements. The exhibits shall be shared with the Supervisor's office and the Baileys Crossroads/Seven Corners Revitalization Corporation for their comment prior to installation. Advertising shall not be placed in any windows along either the Leesburg Pike or western frontages of the pharmacy building.

31. Additional Right-of-Way. The Applicant shall dedicate additional right-of-way upon demand by the County in the vicinity of the bus stop as shown on the GDP as needed for implementation of a bike lane cycle track project along Leesburg Pike.

32. Speakers. No outdoor speakers of any kind shall be installed on the Property excepting a building mounted intercom for use at the drive through window and non-live (recorded) music for the patio seating area on Leesburg Pike between 10:00 am and 10:30 pm.

33. Hours of Operation.

A. The pharmacy drive thru shall be closed from 12:00 am until 6:00 am, seven days a week.

B. Retailer and service businesses other than the pharmacy shall be closed for business from 11:30 pm until 5:30 am, seven days a week.


34. Successors and Assigns. These proffers shall bind and inure to the benefit of the Applicant and its successors and assigns. Each reference to "Applicant" in these proffers shall include and be binding upon the Applicant's successor(s) in interest and/or developer(s) of any portion of the Property.

35. Counterparts. These proffers may be executed in one or more counterparts, each of which when so executed shall be deemed an original document and all when taken together shall constitute but one and the same instrument.

[SIGNATURES TO APPEAR ON THE FOLLOWING PAGES]

Applicant:

Spectrum Development, LLC


By: 

Name: Richard P. Buskell

Title: Managing Member

Owner:

Paul W. Byers



By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney


Kim S. Byers



By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney


Owner:

Christopher Tran

A handwritten signature in black ink, appearing to read "Richard P. Buskell", written over a horizontal line.

By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney


Christina Tran

A handwritten signature in black ink, appearing to read "Richard P. Buskell", written over a horizontal line.

By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney

Owner:


Culmore Properties, LLC

A handwritten signature in black ink, appearing to read "Richard P. Buskell", written over a horizontal line.

By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney

Owner:

My Leesburg Pike, LLC

A handwritten signature in black ink, appearing to read "Richard P. Buskell", written over a horizontal line.

By: Richard P. Buskell, Managing Member of
Spectrum Development, LLC,
as Power of Attorney

Owner:

GEICO


A handwritten signature in black ink, appearing to read 'William C.E. Robinson', written over a horizontal line.

By: William C.E. Robinson
Secretary

PARCEL: 81-2-18-0008
 OWNER: CHARLES NETWORK CHURCH
 ZONE: R-3 (RESIDENTIAL 3 DU/AC)
 USE: CHURCH

PARCEL: 81-2-18-0008
 OWNER: CHARLES NETWORK CHURCH
 ZONE: R-3 (RESIDENTIAL 3 DU/AC)
 USE: CHURCH

CHARLES STREET - ROUTE 773
 (40' WIDE PUBLIC RIGHT-OF-WAY)
 (25 MPH POSTED SPEED)



PARCEL: 81-2-170-0006/0007
 OWNER: ABRA J. BARRICK, JAMES A. BARRICK
 ZONE: R-3 (RESIDENTIAL 3 DU/AC)
 USE: SINGLE FAMILY, DETACHED

WASHINGTON DRIVE
 (60 FOOT PUBLIC RIGHT-OF-WAY)


PARCEL: 81-2-170-0008
 OWNER: MARICATO W. B. FALCO, CONCETTA B. FALCO
 ZONE: R-3 (RESIDENTIAL 3 DU/AC)
 USE: SINGLE FAMILY, DETACHED

PARCEL: 81-2-170-0008
 OWNER: LEE WALKING LLC
 ZONE: C-3 (OFFICE)
 USE: OFFICE

EXISTING VEGETATION SUMMARY					
SYMBOL	COVER TYPE	PRIMARY SPECIES	CONDITION	ACREAGE	COMMENTS
[Symbol]	OPEN FIELD	MEDIUM GRASSES AND WHERS	FAIR	1.00 ac	COVER TYPE CONSISTS PRIMARILY OF MEDIUM GRASSES IN OPEN AREAS AND LOW-VINE LAMINAE.
[Symbol]	DEVELOPED LAND	NA	GOOD	88 ac	COVER TYPE CONSISTS OF DEVELOPED COMMERCIAL BUILDINGS AND PARKING LOT, RESIDENTIAL HOMES AND DRIVEWAY, SIDEWALKS, AND ASSOCIATED ASPHALT DRIVEWAY ON VACANT PARCEL.
[Symbol]	SHRUBBED GRASSLANDS	MANGROVE LARVAE, DOMESTIC PLANTINGS	FAIR-GOOD	28 ac	COVER TYPE CONSISTS OF RESIDENTIAL LOT LARVAE AND LANDSCAPING.
[Symbol]	BOTTOMLAND FOREST	PRIMARILY STAGHONIA PLANTINGS, COCCONUTS, ELM, FRAXINUS SP, CHERRY (PRUNUS SP)	FAIR	.10 ac	COVER TYPE CONSISTS PRIMARILY OF SMALL TREES WITH A DBH OF 4" AND A HEIGHT OF 10-15'. BRASSIAE SPECIES PRESENT.
[Symbol]	LANDSCAPED TREE CANOPY	PRIMARILY NORTHERN CATALPA, GINKGO SPECIOSA, PINE PRINUS SP, HOLLY ILEX SP, BOX ELDER ACER NEGUNDO, CYPRESS WETLE (LARGESTRONGIA SP.), AND ARBOREALIS (FRAXINUS SP.)	GOOD	39 ac	TREES WITH A DBH GREATER THAN 12" ARE INVENTORIED IN THE TREE INVENTORY AND CONDITION ANALYSIS TABLE.
[Symbol]		DOMESTIC LANDSCAPE SHRUBS	GOOD	82 ac	WOODY PLANT MATERIAL THAT EXCEEDS 3 FT IN HEIGHT AT TIME OF INVENTORY
TOTAL ACREAGE: 2.72 ac					

TREE INVENTORY AND CONDITION ANALYSIS					
NUMBER	SPECIES	DIAMETER AT BREAST HEIGHT (DBH)	CANOPY COVER COUNTED	CONDITION	COMMENTS
TREE 1	NORTHERN CATALPA / CATALPA SPECIOSA	27 DBH	790 SF	GOOD	TREE NOT TO BE PRESERVED. NORTHERN CATALPA IS INCLUDED IN TABLE 1.18 SPECIES THAT CAUSE PROBLEMS AFTER PRESERVATION OF PARKS COUNTY'S PUBLIC FACILITIES AND CONSTRUCTION WOULD OCCUR WITHIN THE TREE'S CRITICAL ROOT ZONE.
TREE 2	NORTHERN CATALPA / CATALPA SPECIOSA	31 DBH	790 SF	GOOD	TREE NOT TO BE PRESERVED. NORTHERN CATALPA IS INCLUDED IN TABLE 1.18 SPECIES THAT CAUSE PROBLEMS AFTER PRESERVATION OF PARKS COUNTY'S PUBLIC FACILITIES AND CONSTRUCTION WOULD OCCUR WITHIN THE TREE'S CRITICAL ROOT ZONE.
TREE 3	BOX ELDER / ACER NEGUNDO	20 DBH	NO CANOPY COVERAGE ALLOTTED	POOR	LOCATED UNDER OVERHEAD WIRES, ALL SCAFFOLD BRANCHES HEAVILY PRUNED. CANOPY COVER COUNTED PROPORTIONATE TO ACTUAL COVER. NO CANOPY COVERAGE ALLOTTED DUE TO POOR STRUCTURAL AND HEALTH CONDITION OF TREE.
TREE 4	HOLLY ILEX SP	18 DBH	900 SF	GOOD	
TREE 5	PINE / PRINUS SP	17 DBH	900 SF	LICHENED	LOCATED IN PROCESSIBLE RESIDENTIAL PROPERTY BACK YARD. LOCATION AND DBH APPROPRIATE.
TREE 6	HOLLY ILEX SP	17 DBH	900 SF	GOOD	TWO HEADED - AT DBH ONE STEM MEASURED AT 4" AND ONE AT 12"

EXISTING TREE CANOPY		
CATEGORY	CANOPY COVER COUNTED	METHOD CALCULATED
TREES WITH DBH < 12	3000 SF	CANOPY COVERAGE BASED ON TREE TYPE AND DBH (SEE TREE INVENTORY TABLE)
TREES WITH DBH > 12	1200 SF	CANOPY COVERAGE BASED ON APPROXIMATE TREE CANOPY SQUARE FOOTAGE
WOODY PLANTS THAT EXCEED 3 FT IN HEIGHT	775 SF	SQUARE FOOTAGE BASED ON APPROXIMATE AREA OF COVERAGE
BOTTOMLAND FOREST	7.50 SF	CANOPY COVERAGE FOR BOTTOMLAND FOREST CALCULATED BASED ON SQUARE FOOTAGE OF THE COVER TYPE
EXISTING SQUARE FOOTAGE ON SITE: 12,740 SF		




Kimley»Horn
 100 WASHINGTON ROAD, SUITE 300, LITTLE ROCK, AR 72202
 PHONE: (501) 782-7849
 FAX: (501) 782-7849
 WWW.KIMLEY-HORN.COM


NO.	DATE	DESCRIPTION
1	10/01/2015	PRELIMINARY DESIGN
2	10/01/2015	FINAL DESIGN
3	10/01/2015	CONSTRUCTION
4	10/01/2015	MAINTENANCE
5	10/01/2015	REPAIRS
6	10/01/2015	REPLACEMENT
7	10/01/2015	REMOVAL
8	10/01/2015	RELOCATION
9	10/01/2015	REPAIRS
10	10/01/2015	REPLACEMENT
11	10/01/2015	REMOVAL
12	10/01/2015	RELOCATION
13	10/01/2015	REPAIRS
14	10/01/2015	REPLACEMENT
15	10/01/2015	REMOVAL
16	10/01/2015	RELOCATION
17	10/01/2015	REPAIRS
18	10/01/2015	REPLACEMENT
19	10/01/2015	REMOVAL
20	10/01/2015	RELOCATION

EXISTING VEGETATION PLAN
THE SHOPS AT BAILEY'S CROSSROADS
 MASON, DISTRICT
 FAIRFAX COUNTY, VIRGINIA

Revised by Johnson, Arnold, Street Solutions, Lynchelli & Leesburg Inc. Streetscape & Site Furnishings October 01, 2015, 10:15:00am - 2015/10/01/10:15:00am - Charles St. (DUSTY) CAD/MS - Streetscape & Streetscape - Streetscape & Streetscape
 This document, together with the contract and related project documents, is an instrument of service. It is intended only for the specific project and site for which it was prepared and should not be used for any other project or site without the written consent of the architect. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the architect.



1 LEESBURG PIKE - PROPOSED CONDITION AFTER 'THE SHOPS AT BAILEY'S CROSSROADS' DEVELOPMENT
 SCALE: 1/8" = 1'-0"




2 LEESBURG PIKE - FUTURE ROAD WIDENING CONDITIONS (BY OTHERS)
 SCALE: 1/8" = 1'-0" NOTE: LEESBURG STREETSCAPE FUTURE SECTION IS CONCEPTUAL AND INTENDED TO DEMONSTRATE THAT PROV-TURN LANE DEDICATED IS SUFFICIENT TO INCLUDE A CYCLE TRACK, A CYCLE TRACK IS NOT PROPOSED WITH THIS PLAN.

NOTE: SITE FURNISHINGS, LIGHTING, AND WALLS SHOWN ON THIS SHEET ARE CONCEPTUAL AND ARE INTENDED TO REFLECT THE GENERAL THEME AND CHARACTER OF THE PROPOSED DEVELOPMENT. FINAL PRODUCT SELECTION MAY VARY AT THE TIME OF SITE PLAN, BUT WILL BE CONSISTENT WITH THE QUALITY OF DESIGN REPRESENTED HEREON. SITE FURNISHINGS TO BE CONSISTENT WITH EXISTING FURNISHINGS USED BY BAILEY'S CROSSROADS STREETSCAPE.



3 BENCH
N.T.S.




4 TABLES & CHAIRS
N.T.S.



5 TRASH RECEPTACLE
N.T.S.



6 BIKE RACK
N.T.S.



7 LIGHTING
N.T.S.



8 INTEGRATED RAILING / PLANTERS
N.T.S.

Kimley»Horn
 © 2015 KIMLEY-HORN AND ASSOCIATES, INC.
 1001 BIRCHMOUNT ROAD, SUITE 300, DUBLIN, VA 22029
 PHONE: (540) 345-1000 FAX: (540) 345-1010
 WWW.KIMLEY-HORN.COM

NO.	DATE	DESCRIPTION
1	10/01/2015	ISSUED FOR PERMIT
2	10/01/2015	ISSUED FOR PERMIT
3	10/01/2015	ISSUED FOR PERMIT
4	10/01/2015	ISSUED FOR PERMIT
5	10/01/2015	ISSUED FOR PERMIT
6	10/01/2015	ISSUED FOR PERMIT
7	10/01/2015	ISSUED FOR PERMIT
8	10/01/2015	ISSUED FOR PERMIT
9	10/01/2015	ISSUED FOR PERMIT
10	10/01/2015	ISSUED FOR PERMIT
11	10/01/2015	ISSUED FOR PERMIT
12	10/01/2015	ISSUED FOR PERMIT
13	10/01/2015	ISSUED FOR PERMIT
14	10/01/2015	ISSUED FOR PERMIT
15	10/01/2015	ISSUED FOR PERMIT
16	10/01/2015	ISSUED FOR PERMIT
17	10/01/2015	ISSUED FOR PERMIT
18	10/01/2015	ISSUED FOR PERMIT
19	10/01/2015	ISSUED FOR PERMIT
20	10/01/2015	ISSUED FOR PERMIT
21	10/01/2015	ISSUED FOR PERMIT
22	10/01/2015	ISSUED FOR PERMIT
23	10/01/2015	ISSUED FOR PERMIT
24	10/01/2015	ISSUED FOR PERMIT
25	10/01/2015	ISSUED FOR PERMIT
26	10/01/2015	ISSUED FOR PERMIT
27	10/01/2015	ISSUED FOR PERMIT
28	10/01/2015	ISSUED FOR PERMIT
29	10/01/2015	ISSUED FOR PERMIT
30	10/01/2015	ISSUED FOR PERMIT
31	10/01/2015	ISSUED FOR PERMIT
32	10/01/2015	ISSUED FOR PERMIT
33	10/01/2015	ISSUED FOR PERMIT
34	10/01/2015	ISSUED FOR PERMIT
35	10/01/2015	ISSUED FOR PERMIT
36	10/01/2015	ISSUED FOR PERMIT
37	10/01/2015	ISSUED FOR PERMIT
38	10/01/2015	ISSUED FOR PERMIT
39	10/01/2015	ISSUED FOR PERMIT
40	10/01/2015	ISSUED FOR PERMIT
41	10/01/2015	ISSUED FOR PERMIT
42	10/01/2015	ISSUED FOR PERMIT
43	10/01/2015	ISSUED FOR PERMIT
44	10/01/2015	ISSUED FOR PERMIT
45	10/01/2015	ISSUED FOR PERMIT
46	10/01/2015	ISSUED FOR PERMIT
47	10/01/2015	ISSUED FOR PERMIT
48	10/01/2015	ISSUED FOR PERMIT
49	10/01/2015	ISSUED FOR PERMIT
50	10/01/2015	ISSUED FOR PERMIT



LEESBURG PIKE STREETSECTIONS & SITE FURNISHINGS
 THE SHOPS AT BAILEY'S CROSSROADS
 MASON DISTRICT
 FAIRFAX COUNTY, VIRGINIA


ALL RIGHTS RESERVED. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the copyright owner. This document contains confidential information and is intended for the use of the individual named herein. If you are not the named individual, you should not disseminate, distribute or copy this document. If you have received this document by any other means, you should delete this document from your system.



BUILDING ELEVATIONS - LEEBURG PIKE



BUILDING ELEVATIONS - CHARLES STREET



BUILDING ELEVATIONS - WASHINGTON DRIVE


NOTE: THE ELEVATIONS ON THIS SHEET ARE PRELIMINARY IN NATURE AND ARE PROVIDED TO AID IN THE UNDERSTANDING OF THE PROPOSED DEVELOPMENT PROGRAM IN RELATION TO THE SITE. THE ELEVATIONS ARE SUBJECT TO CHANGE WITH FINAL ENGINEERING AND ARCHITECTURAL DESIGN.



775 OLD GEORGETOWN ROAD, SUITE 700, BETHESDA, MD 20814 - TEL: (301) 223-2000 - FAX: (301) 223-2001

Kimley»Horn
 100 WASHINGTON ROAD, SUITE 300, LITTLE ROCK, AR 72202
 PHONE: (501) 225-7500
 WWW.KH.COM


NO.	DATE	DESCRIPTION
1	10/01/2015	ISSUED FOR PERMIT
2	10/01/2015	ISSUED FOR PERMIT
3	10/01/2015	ISSUED FOR PERMIT
4	10/01/2015	ISSUED FOR PERMIT
5	10/01/2015	ISSUED FOR PERMIT
6	10/01/2015	ISSUED FOR PERMIT
7	10/01/2015	ISSUED FOR PERMIT
8	10/01/2015	ISSUED FOR PERMIT
9	10/01/2015	ISSUED FOR PERMIT
10	10/01/2015	ISSUED FOR PERMIT
11	10/01/2015	ISSUED FOR PERMIT
12	10/01/2015	ISSUED FOR PERMIT
13	10/01/2015	ISSUED FOR PERMIT
14	10/01/2015	ISSUED FOR PERMIT
15	10/01/2015	ISSUED FOR PERMIT
16	10/01/2015	ISSUED FOR PERMIT
17	10/01/2015	ISSUED FOR PERMIT
18	10/01/2015	ISSUED FOR PERMIT
19	10/01/2015	ISSUED FOR PERMIT
20	10/01/2015	ISSUED FOR PERMIT
21	10/01/2015	ISSUED FOR PERMIT
22	10/01/2015	ISSUED FOR PERMIT
23	10/01/2015	ISSUED FOR PERMIT
24	10/01/2015	ISSUED FOR PERMIT
25	10/01/2015	ISSUED FOR PERMIT
26	10/01/2015	ISSUED FOR PERMIT
27	10/01/2015	ISSUED FOR PERMIT
28	10/01/2015	ISSUED FOR PERMIT
29	10/01/2015	ISSUED FOR PERMIT
30	10/01/2015	ISSUED FOR PERMIT
31	10/01/2015	ISSUED FOR PERMIT
32	10/01/2015	ISSUED FOR PERMIT
33	10/01/2015	ISSUED FOR PERMIT
34	10/01/2015	ISSUED FOR PERMIT
35	10/01/2015	ISSUED FOR PERMIT
36	10/01/2015	ISSUED FOR PERMIT
37	10/01/2015	ISSUED FOR PERMIT
38	10/01/2015	ISSUED FOR PERMIT
39	10/01/2015	ISSUED FOR PERMIT
40	10/01/2015	ISSUED FOR PERMIT
41	10/01/2015	ISSUED FOR PERMIT
42	10/01/2015	ISSUED FOR PERMIT
43	10/01/2015	ISSUED FOR PERMIT
44	10/01/2015	ISSUED FOR PERMIT
45	10/01/2015	ISSUED FOR PERMIT
46	10/01/2015	ISSUED FOR PERMIT
47	10/01/2015	ISSUED FOR PERMIT
48	10/01/2015	ISSUED FOR PERMIT
49	10/01/2015	ISSUED FOR PERMIT
50	10/01/2015	ISSUED FOR PERMIT




1 TRANSITIONAL SCREEN YARD BUFFER SECTION
 SCALE: 1/4"=1'-0"




2 TRANSITIONAL SCREEN YARD WALL - PERSPECTIVE



3 TYPE "D" BARRIER (MODIFIED)
 SCALE: 1/4"=1'-0"




4 TRANSITIONAL SCREEN YARD WALL : ELEVATION
 SCALE: 1/4"=1'-0"




5 TRANSITIONAL SCREEN YARD WALL : SECTION
 SCALE: 1/4"=1'-0"

NOTE: WALLS SHOWN ON THIS SHEET ARE CONCEPTUAL AND ARE HYPOTHESIZED TO REFLECT THE GENERAL TYPE AND CHARACTER OF THE PROPOSED DEVELOPMENT. FINAL PRODUCT SELECTION MAY VARY AT THE TIME OF SITE PLAN, BUT WILL BE CONSISTENT WITH THE QUALITY OF DESIGN REPRESENTED HEREON.




ARCHITECTURAL DETAILS
 THE SHOPS AT BAILEY'S CROSSROADS
 MASON DISTRICT
 FAIRFAX COUNTY, VIRGINIA


Project: Jackson, David; Shovel Solutions; Landon; Landscape Amenity Areas & Perspectives; October 01, 2015; 12:14:58pm; N:\VVA_LAND\101312001_Baileys - Chase St Overlay\DWG\Sheet\AS Landscape Amenity Areas Design.dwg
 The information contained herein is the property of Shovel Solutions, Inc. and is intended for the use of the recipient. No part of this information may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Shovel Solutions, Inc.



1 ENTRY PLAZA AMENITY AREA
SCALE 1" = 10'-0"



2 ENTRY PLAZA : SECTION
SCALE 1/8" = 1'-0"



3 OUTDOOR DINING AREA : SECTION
SCALE 1/8" = 1'-0"



4 PERSPECTIVE : ENTRY PLAZA AMENITY AREA
SCALE N/A



5 PERSPECTIVE : LEESBURG PIKE & CHARLES STREET INTERSECTION
SCALE N/A

NOTE: IMAGES SHOWN ON THIS SHEET ARE CONCEPTUAL AND ARE INTENDED TO REFLECT THE GENERAL THEME AND CHARACTER OF THE PROPOSED DEVELOPMENT. FINAL PROJECT SELECTION MAY VARY AT THE TIME OF SITE PLAN, BUT WILL BE CONSISTENT WITH THE QUALITY OF DESIGN REPRESENTED HEREON.

LANDSCAPE AMENITY AREAS & PERSPECTIVES
THE SHOPS AT BAILEY'S CROSSROADS

SHEET NUMBER
7 OF 10

Kimley»Horn
 9 2015 KIMLEY-HORN AND ASSOCIATES, INC. 015
 100 PHOENIX AVENUE, SUITE 2000, FAYETTEVILLE, NC 28404
 WWW.KIMLEY-HORN.COM

NO.	DATE	DESCRIPTION
1	07/20/2015	ISSUED FOR PERMIT
2	07/20/2015	ISSUED FOR PERMIT
3	07/20/2015	ISSUED FOR PERMIT
4	07/20/2015	ISSUED FOR PERMIT
5	07/20/2015	ISSUED FOR PERMIT
6	07/20/2015	ISSUED FOR PERMIT
7	07/20/2015	ISSUED FOR PERMIT
8	07/20/2015	ISSUED FOR PERMIT
9	07/20/2015	ISSUED FOR PERMIT
10	07/20/2015	ISSUED FOR PERMIT
11	07/20/2015	ISSUED FOR PERMIT
12	07/20/2015	ISSUED FOR PERMIT
13	07/20/2015	ISSUED FOR PERMIT
14	07/20/2015	ISSUED FOR PERMIT
15	07/20/2015	ISSUED FOR PERMIT
16	07/20/2015	ISSUED FOR PERMIT
17	07/20/2015	ISSUED FOR PERMIT
18	07/20/2015	ISSUED FOR PERMIT
19	07/20/2015	ISSUED FOR PERMIT
20	07/20/2015	ISSUED FOR PERMIT
21	07/20/2015	ISSUED FOR PERMIT
22	07/20/2015	ISSUED FOR PERMIT
23	07/20/2015	ISSUED FOR PERMIT
24	07/20/2015	ISSUED FOR PERMIT
25	07/20/2015	ISSUED FOR PERMIT
26	07/20/2015	ISSUED FOR PERMIT
27	07/20/2015	ISSUED FOR PERMIT
28	07/20/2015	ISSUED FOR PERMIT
29	07/20/2015	ISSUED FOR PERMIT
30	07/20/2015	ISSUED FOR PERMIT
31	07/20/2015	ISSUED FOR PERMIT
32	07/20/2015	ISSUED FOR PERMIT
33	07/20/2015	ISSUED FOR PERMIT
34	07/20/2015	ISSUED FOR PERMIT
35	07/20/2015	ISSUED FOR PERMIT
36	07/20/2015	ISSUED FOR PERMIT
37	07/20/2015	ISSUED FOR PERMIT
38	07/20/2015	ISSUED FOR PERMIT
39	07/20/2015	ISSUED FOR PERMIT
40	07/20/2015	ISSUED FOR PERMIT
41	07/20/2015	ISSUED FOR PERMIT
42	07/20/2015	ISSUED FOR PERMIT
43	07/20/2015	ISSUED FOR PERMIT
44	07/20/2015	ISSUED FOR PERMIT
45	07/20/2015	ISSUED FOR PERMIT
46	07/20/2015	ISSUED FOR PERMIT
47	07/20/2015	ISSUED FOR PERMIT
48	07/20/2015	ISSUED FOR PERMIT
49	07/20/2015	ISSUED FOR PERMIT
50	07/20/2015	ISSUED FOR PERMIT



JASON R. JACKSON
 PROFESSIONAL ENGINEER
 STATE OF NORTH CAROLINA

SITE DATA

Project Name	DRAINAGE AREA A2 (BIORETENTION)
Location	12401 WASHINGTON DRIVE, FARMINGTON, VA
Client	THE SHOPS AT BAILEY'S CROSSROADS
Design Phase	PRELIMINARY
Scale	1" = 150'
Date	10/20/2015
Author	CHAS. S. COOPER
Checker	CHAS. S. COOPER
Appr. By	CHAS. S. COOPER

DRAINAGE AREA A2 (BIORETENTION)

Flow Path	Area (Ac)	Runoff Coefficient	Runoff Volume (cu ft)
Area A2	2.71	0.77	14,750
Area A3	0.78	0.77	14,750
Area A4	0.51	0.77	14,750
Area A5	0.02	0.77	14,750
Area A6	0.20	0.77	14,750
Area A7	0.11	0.77	14,750
Area A8	0.01	0.77	14,750
Area A9	0.01	0.77	14,750
Area A10	0.01	0.77	14,750
Area A11	0.01	0.77	14,750
Area A12	0.01	0.77	14,750
Area A13	0.01	0.77	14,750
Area A14	0.01	0.77	14,750
Area A15	0.01	0.77	14,750
Area A16	0.01	0.77	14,750
Area A17	0.01	0.77	14,750
Area A18	0.01	0.77	14,750
Area A19	0.01	0.77	14,750
Area A20	0.01	0.77	14,750

DRAINAGE AREA A3 (PERVIOUS PAVERS)

Flow Path	Area (Ac)	Runoff Coefficient	Runoff Volume (cu ft)
Area A3	0.78	0.77	14,750
Area A4	0.51	0.77	14,750
Area A5	0.02	0.77	14,750
Area A6	0.20	0.77	14,750
Area A7	0.11	0.77	14,750
Area A8	0.01	0.77	14,750
Area A9	0.01	0.77	14,750
Area A10	0.01	0.77	14,750
Area A11	0.01	0.77	14,750
Area A12	0.01	0.77	14,750
Area A13	0.01	0.77	14,750
Area A14	0.01	0.77	14,750
Area A15	0.01	0.77	14,750
Area A16	0.01	0.77	14,750
Area A17	0.01	0.77	14,750
Area A18	0.01	0.77	14,750
Area A19	0.01	0.77	14,750
Area A20	0.01	0.77	14,750

DRAINAGE AREA A4 (PERVIOUS PAVERS)

Flow Path	Area (Ac)	Runoff Coefficient	Runoff Volume (cu ft)
Area A4	0.51	0.77	14,750
Area A5	0.02	0.77	14,750
Area A6	0.20	0.77	14,750
Area A7	0.11	0.77	14,750
Area A8	0.01	0.77	14,750
Area A9	0.01	0.77	14,750
Area A10	0.01	0.77	14,750
Area A11	0.01	0.77	14,750
Area A12	0.01	0.77	14,750
Area A13	0.01	0.77	14,750
Area A14	0.01	0.77	14,750
Area A15	0.01	0.77	14,750
Area A16	0.01	0.77	14,750
Area A17	0.01	0.77	14,750
Area A18	0.01	0.77	14,750
Area A19	0.01	0.77	14,750
Area A20	0.01	0.77	14,750

WATER QUALITY COMPLIANCE

Parameter	Pre-Development	Post-Development
TP	0.001	0.001
TSS	0.001	0.001
NO3-N	0.001	0.001
NO2-N	0.001	0.001
NOx-N	0.001	0.001
PO4-P	0.001	0.001
Ammonia-N	0.001	0.001
Chloride	0.001	0.001
Copper	0.001	0.001
Iron	0.001	0.001
Manganese	0.001	0.001
Nickel	0.001	0.001
Sulfate	0.001	0.001
Zinc	0.001	0.001

NOTE: INFILTRATION #1 IS LOCATED UNDER THE PROPOSED UNDERGROUND DETENTION SYSTEM. DRAINAGE AREAS A2, A3, AND A4 ALL CONTRIBUTE SEPARATELY TO THE SYSTEM AND ARE CALCULATED FOR THE RUNOFF REDUCTION IN EACH INDIVIDUAL DRAINAGE AREA.

PRELIMINARY WATER QUALITY CALCULATIONS

DUE TO THE EXPECTANT PROJECT TIMEFRAME, THE PROVIDED CALCULATIONS ARE FROM THE VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY REDEVELOPMENT DRAFT 2013 SPREADSHEET DATED JUNE 2014 (V2.8). THESE CALCULATIONS INTEND TO SHOW THAT THE PROPOSED DEVELOPMENT COMPLIES WITH THE PFM SECTION 6-0401.3.

OVERLAND RELIEF NARRATIVE

THE UNDERGROUND STORAGE HAS BEEN DESIGNED TO CONTAIN THE 100-YEAR STORM EVENT, HOWEVER, OVERLAND RELIEF IS PROVIDED AT THE SITE ACCESS POINT TO WASHINGTON DRIVE. THE 100-YEAR STORM WILL FLOW AT THIS LOW POINT IN TO THE EXISTING STORMWATER CONVEYANCE SYSTEM ALONG WASHINGTON DRIVE.

STORMWATER MANAGEMENT CALCULATIONS:

PRE-DEVELOPMENT RUN-OFF:

PRE-DEVELOPMENT ON-SITE: 2.71 AC, CN=77, Tc=5 MIN ON BASED ON FORESTED (HSG D) CONDITIONS

24-HR SCS HYDROGRAPH RESULTS

- Q (1-YR) = 3.60 CFS
- Q (2-YR) = 5.29 CFS
- Q (10-YR) = 11.14 CFS
- Q (100-YR) = 24.52 CFS
- V (1-YR) = 7,236 CF

POST-DEVELOPMENT RUN-OFF:

POST-DEV. UNDETAINED ON-SITE: 0.54 AC, CN=91, Tc=5 MIN

POST-DEV. DETAINED ON-SITE: 2.17 AC, CN=94, Tc=5 MIN

24-HR SCS HYDROGRAPH RESULTS

- Q (1-YR) = 1.25 CFS (ROUTED THROUGH PROP. UNDERGROUND DET.)
- Q (2-YR) = 2.05 CFS (ROUTED THROUGH PROP. UNDERGROUND DET.)
- Q (10-YR) = 8.74 CFS (ROUTED THROUGH PROP. UNDERGROUND DET.)
- Q (100-YR) = 22.38 CFS (ROUTED THROUGH PROP. UNDERGROUND DET.)
- V (1-YR) = 6,026 CF (ROUTED THROUGH PROP. UNDERGROUND DET.) (ASSUMES THAT 0.52 IN/HR OF INFILTRATION IS OBTAINABLE)

UNDERGROUND DETENTION SIZING

PROVIDED UNDERGROUND STORAGE: 14,750 CF

40' x 155' (161 - 30" ARCH CHAMBERS)

100-YR VOLUME (14,367 CF) CONTAINED

SWM NARRATIVE

THE EXISTING SITE IS APPROXIMATELY 50% DEVELOPED AS A COMMERCIAL SITE, AND THE OTHER 50% WAS PREVIOUSLY CLEARED FOR PLANNED DEVELOPMENT. THIS PORTION OF THE SITE IS GRASSED WITH AN AREA OF EXISTING TREES. THE PROPOSED PROJECT SHALL PRODUCE A SMALLER POST DEVELOPMENT RUNOFF RATE THAN THE PRE-DEVELOPMENT CONDITIONS FOR THE 1, 2, AND 10-YR STORM. THE PROPOSED SITE IS ALSO BELOW THE ALLOWABLE 1-YR FLOW RATE BASED ON THE RUNOFF REDUCTION METHOD AND ENERGY BALANCE EQUATION. THIS WILL BE ACHIEVED THROUGH THE PROPOSED UNDERGROUND STORMWATER DETENTION FACILITY. THE 14,750 CF OF STORAGE HAS BEEN DESIGNED TO CONTAIN THE 100-YR STORM. IT IS ASSUMED THAT THE 2.36 ACRES OF OFF-SITE AREA WILL BE RE-ROUTED THROUGH THE SITE WITH OUT INFLUENCING THE PROPOSED STORMWATER SYSTEM.

BMP NARRATIVE

THE PROPOSED PROJECT IS CONSIDERED A RE-DEVELOPMENT. FAIRFAX COUNTY REQUIRES A MINIMUM OF A 10% REDUCTION OF NONPOINT SOURCE POLLUTION FROM DEVELOPMENT OF PREVIOUSLY DEVELOPED LAND. THE STATE REQUIREMENTS REQUIRE A 20% REDUCTION BASED ON THIS SITE AREA BEING LARGER THAN 1.00 ACRES.

THE PROPOSED PROJECT USES A COMBINATION OF A BIORETENTION AREA AND PERVIOUS PAVERS WITH INFILTRATION. THE DEVELOPER RESERVES THE RIGHT TO PROVIDE FINAL LAYOUT DESIGN AT SITE PLAN. REPLACEMENT MEASURES COULD BE USED SUBJECT TO APPROVAL BY COUNTY STAFF. THESE MEASURES WILL RESULT IN A 20% REDUCTION OF THE PRE-DEVELOPMENT PHOSPHOROUS LOAD AS SEEN IN THE ABOVE CALCULATIONS.

- MINIMUM STORMWATER DETENTION FROM BIOPRETENTION, CHECKS, EXCEPTED, SPECIAL PERMITS AND OTHER PROJECT PLAN REQUIREMENTS**
1. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 2. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 3. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 4. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 5. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 6. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 7. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 8. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 9. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 10. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 11. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 12. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 13. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 14. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 15. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 16. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 17. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 18. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 19. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.
 20. All bioretention areas shall be designed to meet the minimum detention volume of 14,750 CF for the 100-year storm event. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area. The detention volume shall be based on the runoff volume from the contributing area.

ADEQUATE OUTFALL NARRATIVE

THE EXISTING SITE DRAINS TO A STORM SEWER NETWORK THAT CUTS THROUGH THE MIDDLE OF THE SITE FROM CHARLES STREET TO WASHINGTON DRIVE AT 0.19 AC. A DRAINAGE AREA OF APPROXIMATELY 2.36 ACRES THAT DRAINS INTO THE STORM SEWER NETWORK UPSTREAM OF THIS SITE TO THE EXISTING INLETS IN CHARLES STREET WHICH PASSES THROUGH THE SITE. WOTI IS PROPOSING IMPROVEMENTS TO THE INTERSECTION OF CHARLES STREET AND ROUTE 7 IN THE FUTURE. THE AFFECTED AREA IS REPRESENTED BY AREA A1 WHICH SHEET FLOWS TO OUTFALL 1, LEESBURG PIKE (ROUTE 7). OUTFALL 3 REPRESENTS THE DRAINAGE AREA THAT CURRENTLY SHEET FLOWS ONTO THE ADJACENT RESIDENTIAL PROPERTIES SOUTH OF THE PROJECT SITE. OUTFALL 4 REPRESENTS THE REMAINING AREA THAT OUTFALLS TO LEESBURG PIKE (ROUTE 7).

THE PROPOSED DEVELOPMENT WILL CONTINUE TO CONVEY STORMWATER TO THE EXISTING FOUR OUTFALLS. THE MAJORITY OF THE DEVELOPED SITE WILL BE DIRECTED TO THE PROPOSED UNDERGROUND STORMWATER DETENTION SYSTEM TO REDUCE THE PEAK DISCHARGE LEAVING OUTFALL 2 TO BELOW THE EXISTING (FORESTED) ON-SITE CONDITIONS. OUTFALLS 1, 3, AND 4 WILL CONTINUE TO LEAVE THE SITE AS SHEET FLOW.



UNDER PFM SECTION 6-0203.4A DETENTION METHOD, THE PROPOSED DEVELOPMENT WILL HAVE NO ADVERSE IMPACT IF THE ON-SITE DETENTION IS PROVIDED TO REDUCE THE PEAK 1-YEAR, 2-YEAR AND 10-YEAR POST-DEVELOPMENT PEAK RUNOFF RATES TO BELOW THE RESPECTIVE PEAK RATES OF RUNOFF FOR THE SITE IN GOOD FORESTED CONDITION. THIS PLAN PROPOSES AN UNDERGROUND DETENTION SYSTEM TO MEET THESE CRITERIA AND AS SUCH AN ADEQUATE OUTFALL HAS BEEN PROVIDED.

THE REMAINING OUTFALLS, (1, 3, & 4) LEAVE THE SITE AS SHEET FLOW WITH NO ADVERSE IMPACT ON DOWNSTREAM PROPERTIES SO THE OUTFALLS ARE ADEQUATE AS REQUIRED BY THE PFM.

- NOTES:**
1. FAIRFAX COUNTY DIGITAL MAPS (2013) CONTOUR AND STORMWATER NETWORK MAPS) WERE USED TO DETERMINE THE OFFSITE STORMWATER DRAINAGE AREAS AND FACILITIES.
 2. THIS PLAN IS DESIGNED TO COMPLY WITH THE PROPOSED COUNTY CODE CHAPTER 124 AND PFM CHAPTER 6 AS FOUND ON THE DPW'S STORMWATER MANAGEMENT ORDINANCE WEBSITE. DUE TO THE EVOLVING NATURE OF THE DRAFT 2013 BMP STANDARDS & SPECS AND VIRM SPREADSHEET AND BECAUSE ON-SITE TESTING WILL NOT BE COMPLETE UNTIL FINAL SITE PLAN, THE CALCULATIONS, SUMMARIES AND PROPOSED STORMWATER MANAGEMENT FACILITIES PROPOSED ON THIS PLAN ARE PRELIMINARY AND SUBJECT TO CHANGE AT THE TIME OF THE SITE PLAN.

NOTE: THE DEVELOPER RESERVES THE RIGHT TO PROVIDE FINAL LAYOUT DESIGN AT SITE PLAN.

NOTE: STORMWATER PLAN ASSUMES THAT 0.52 IN/HR OF INFILTRATION IS AVAILABLE FOR THE UNDERGROUND DETENTION FACILITY (INFILTRATION #1). SEE ADEQUATE OUTFALL NOTE #2.



Kimley-Horn

10015 WOODBURN AVENUE, SUITE 100
 FARMINGTON, VA 22031
 PHONE: 540-427-3300 FAX: 540-427-8418
 WWW.KIMLEY-HORN.COM

QUALITY OF WORKMANSHIP

DATE: 10/20/2015

DESIGNED BY: CHAS. S. COOPER

CHECKED BY: CHAS. S. COOPER

DRAWN BY: CHAS. S. COOPER

PROJECT NO: 15010001

DATE: 10/20/2015

SCALE: AS SHOWN

PROJECT: PRELIMINARY SWM BMP AND OUTFALL ANALYSIS

LOCATION: THE SHOPS AT BAILEY'S CROSSROADS

CLIENT: THE SHOPS AT BAILEY'S CROSSROADS

DESIGNER: CHAS. S. COOPER

CHECKER: CHAS. S. COOPER

DRAWER: CHAS. S. COOPER

PROJECT NO: 15010001

DATE: 10/20/2015

SCALE: AS SHOWN

PROJECT: PRELIMINARY SWM BMP AND OUTFALL ANALYSIS

LOCATION: THE SHOPS AT BAILEY'S CROSSROADS

CLIENT: THE SHOPS AT BAILEY'S CROSSROADS

DESIGNER: CHAS. S. COOPER

CHECKER: CHAS. S. COOPER

DRAWER: CHAS. S. COOPER

FIRST ORDER, LLC

1700 Sullivan Trail, Suite 13
Easton, PA 18040
(610) 438-5840 * fax (610) 438-0004

METES & BOUNDS DESCRIPTION

Existing Zone R-3
Leesburg Pike & Charles Street
Bailey's Cross Roads
Fairfax County, VA

March 28, 2014


Beginning at point on the southeasterly line of Charles Street, said point being located South 30°20'46" West a distance of 226.00 feet from an iron pin found marking the intersection of the southwesterly line of Leesburg Pike (VA Route 7) with the southeasterly line of Charles Street, and from said beginning point running thence

Running the following courses along the existing zoning district boundary line between Zone C-2 and Zone R-3:

1. South 55°27'15" East a distance of 187.63 feet to a point, thence
2. North 30°19'51" East a distance of 34.54 feet to a point, thence
3. South 55°47'14" East a distance of 200.49 feet to a point, thence
4. Along the northwesterly line of Washington Street, South 30°20'46" West a distance of 100.31 feet to a point, thence
5. Along the northeasterly line of lands n/f Abdula Bunyuas, North 59°39'14" West a distance of 200.00 feet to a point, thence
6. Along the northeasterly line of lands n/f Nicholas J. Ferk, North 30°20'46" East a distance of 1.29 feet to a point, thence
7. Continuing along said Ferk, North 55°27'15" West a distance of 187.65 feet to a point, thence
8. Along the above referenced southeasterly line of Charles Street, North 30°20'46" East a distance of 78.00 feet to the point and place of beginning.

Containing 36,012 square feet or 0.8267 acres of land.

Jack W. Shoemaker
Virginia Professional Land Surveyor No. 0403 002186



FIRST ORDER, LLC

1700 Sullivan Trail, Suite 13
Easton, PA 18040
(610) 438-5840 * fax (610) 438-0004

METES & BOUNDS DESCRIPTION

Existing Zone C-2
Leesburg Pike & Charles Street
Bailey's Cross Roads
Fairfax County, VA

March 28, 2014

Beginning at an iron pin found marking the intersection of the southwesterly line of Leesburg Pike (VA Route 7) with the southeasterly line of Charles Street, and from said beginning point running thence

Running the following courses along the southwesterly line of Leesburg Pike:


1. South 55°54'40" East a distance of 187.55 feet to an iron pin found, thence
2. North 30°20'46" East a distance of 7.50 feet to a point, thence
3. South 55°46'44" East a distance of 191.11 feet to a point, thence
4. Along the arc of a tangent curve to the right with a radius of 10.00 feet, turning a central angle of 86°07'30", for an arc length of 15.03 feet, the chord of which bears South 12°42'59" East for a distance of 13.66 feet to a point on the northwesterly line of Washington Street, thence;
5. Along the northwesterly line of Washington Street, South 30°20'46" West a distance of 191.09 feet to a point, thence

Running the following courses along the existing zoning district boundary line between Zone C-2 and Zone R-3:

6. North 55°47'14" West a distance of 200.49 feet to a point, thence
7. South 30°19'51" West a distance of 34.54 feet to a point, thence
8. North 55°27'15" West a distance of 187.63 feet to a point, thence
9. Along the above referenced southeasterly line of Charles Street, North 30°20'46" East a distance of 226.00 feet to the point and place of beginning.

Containing 82,506 square feet or 1.8941 acres of land.

Jack W. Shoemaker
Virginia Professional Land Surveyor No. 0403 002186



FIRST ORDER, LLC

1700 Sullivan Trail, Suite 13
Easton, PA 18040
(610) 438-5840 * fax (610) 438-0004

METES & BOUNDS DESCRIPTION
Proposed Commercial Development
Leesburg Pike & Charles Street
Bailey's Cross Roads
Fairfax County, VA

March 28, 2014

Beginning at an iron pin found marking the intersection of the southwesterly line of Leesburg Pike (VA Route 7) with the southeasterly line of Charles Street, and from said beginning point running thence

Running the following courses along the southwesterly line of Leesburg Pike:

1. South 55°54'40" East a distance of 187.55 feet to an iron pin found, thence
2. North 30°20'46" East a distance of 7.50 feet to a point, thence
3. South 55°46'44" East a distance of 191.11 feet to a point, thence
4. Along the arc of a tangent curve to the right with a radius of 10.00 feet, turning a central angle of 86°07'30", for an arc length of 15.03 feet, the chord of which bears South 12°42'59" East for a distance of 13.66 feet to a point on the northwesterly line of Washington Street, thence;
5. Along the northwesterly line of Washington Street, South 30°20'46" West a distance of 291.40 feet to a point, thence
6. Along the northeasterly line of lands n/f Abdula Bunyuas, North 59°39'14" West a distance of 200.00 feet to a point, thence
7. Along the northeasterly line of lands n/f Nicholas J. Ferk, North 30°20'46" East a distance of 1.29 feet to a point, thence
8. Continuing along said Ferk, North 55°27'15" West a distance of 187.65 feet to a point, thence
9. Along the above referenced southeasterly line of Charles Street, North 30°20'46" East a distance of 304.00 feet to the point and place of beginning.

Containing 118518 square feet or 2.7208 acres of land.

Jack W. Shoemaker
Virginia Professional Land Surveyor 0403 002186



REVITALIZATION



COUNTY OF FAIRFAX
Department of Planning and Zoning
Zoning Evaluation Division
 12055 Government Center Parkway, Suite 801
 Fairfax, VA 22035 (703) 324-1290, TTY 711
www.fairfaxcounty.gov/dpz/zoning/applications

APPLICATION No: RZ 2014-MA-011
 (Assigned by staff)

*Concurrent
with
SE 2014-MA-013*

RECEIVED
 Department of Planning & Zoning
MAR 31 2014
 Zoning Evaluation Division

APPLICATION FOR A REZONING (PLEASE TYPE or PRINT IN BLACK INK)

PETITION

TO: THE BOARD OF SUPERVISORS OF FAIRFAX COUNTY, VIRGINIA

I (We), Spectrum Development, LLC, the applicant (s) petition you to adopt an ordinance amending the Zoning Map of Fairfax County, Virginia, by reclassifying from the C-2 & R-3, CRD, HC, SC District to the C-6, CRD, HC, SC District the property described below and outlined in red on the Zoning Section Sheet(s) accompanying and made part of this application.

LEGAL DESCRIPTION:

1, 2, 3, 4, 5		Powell Subdivision	21959 and 7792	309 and 781
1, 2, 3, 4, 5	D	Courtland Park	12198, 18118, 92960	755, 940, 8481
Lot(s)	Block(s)	Subdivision	Deed Book	Page No.

TAX MAP DESCRIPTION:

0612	18		0001, 0002, 0003, 0004, 0005	
0612	17D		0001, 0003, 0004, 0005	
				2.72
Map No.	Double Circle No.	Single Circle No.	Parcel(s)/Lot(s) No.	Total Acreage

POSTAL ADDRESS OF PROPERTY:

3401 Charles St., 3425 Charles St., 3408 and 3410 Washington Dr., 5885 Leesburg Pike, Falls Church, VA 22041

ADVERTISING DISCRIPTION: (Example - North side of Lee Highway approx. 1000 feet west of its intersection with Newgate Blvd.)

3401 Charles St. and Washington Dr. southwest of Leesburg Pike and Leesburg Pike
PRESENT USE: vacant, commercial, residential **PROPOSED USE:** retail/pharmacy/shopping center
MAGISTERIAL DISTRICT: Mason **OVERLAY DISTRICT (S):** n/a

The name(s) and address(s) of owner(s) of record shall provided on the affidavit form attached and made part of this application. The undersigned has the power to authorize and does hereby authorize Fairfax County staff representative on official business to enter on the subject property as necessary to process the application.

Spectrum Development, LLC

Type or Print Name
 c/o William B. Lawson, Jr., Attorney/Agent
 6045 Wilson Blvd., St. 100, Arlington, VA 22205

Address

William B. Lawson Jr.

Signature of Applicant or Agent
(Work) 703-534-4800 **(Mobile)** _____

Telephone Number

Please provide name and telephone number of contact if different from above:

DO NOT WRITE BELOW THIS SPACE

Date application accepted: April 8, 2014 *M. Channcey Per VHR*

RZ 2014-0029 *MPC*
 4/8/14

Fee Paid \$ 30,010.00